

Office of the Health Officer
Berhampur, Municipality, Ganjam.

NO. _____ / PH.BAM.MUTY.

Dated.

To,

The Secretary,
Central Board of Secondary Education, ^{New Delhi}
Issue of sanitary condition and drinking water
certificate in favour of D.A.V. Public school
Berhampur, Gandhinagar II nd Line.

Sub:-

Ref:-

Letter of the Principal of D.A.V. Public School
Gandhinagar Berhampur No.DAV/BAM/1312 dated.22.7.96

Sir,

The D.A.V. Public School, Gandhinagar II nd line
Berhampur Ganjam is functioning in rented land and Two Buildings.
The school is visited by me on 03.07.96 at 11 a.m. There are
17 (Seventeen) Class room which are well lighted and ventilated
equiped-with adequate furnitures. There are 1295 students
in 33 sections (LKG to Std.IX) of different classes. The school
is functioning two shifts. There are adequate bathrooms and
Urinals having round and the tape water supply system. The
Management takes extra care for supply of safe drinking water
to the students. A large playground is annexed with the school
premises. Provision of First Aid Treatments to the students
is adequate. The management has the provision of periodic
Health Examinations of the students at regular intervals by
qualified doctors. The communication and transportation system
are not adequate. Moreover the cleanliness of the class rooms
and premises is excellent.

Considering the above stated facts, I feel the
school is located at an ideal situation with satisfactory and
sanitary conditions.

Yours faithfully,

Sd/-
Health Officer,
Berhampur Municipality.

Memo No. 202 / PH BAM. Muty. Dt. 16.8.96

Copy forwarded to the Principal, D.A.V. Public School
Gandhi Nagar IInd lane, Berhampur, Ganjam for favour of
information with reference to his letter No. DAV/BAM/1312 dt
Dt.22.7.96.

[Signature]
16/8
Health Officer,
Berhampur Municipality
HEALTH OFFICER,
BERHAMPUR MUNICIPALITY,
BERHAMPUR (DT. GANJAM)